



*Einfachscherer  
Goliath*

TYP	NUTZLAST KG	NUTZHUB MM	LÄNGE MM	BREITE MM	BAUHÖHE MM	HUBZEIT SEK.	LEISTUNG KW
<b>SX_005_080</b>	500	800	1250-1500	550-1600	230	12	3,0
<b>SX_005_100</b>	500	1000	1500-2000	550-1600	230	14	3,0
<b>SX_005_130</b>	500	1300	2000-2500	800-2000	280	24	3,0
<b>SX_005_160</b>	500	1600	2500-3000	800-2400	310	26	3,0
<b>SX_005_180</b>	500	1800	2800-3500	800-2400	350	32	3,0
<b>SX_005_200</b>	500	2000	3000-3500	800-2400	350	35	3,0
<b>SX_010_080</b>	1000	800	1250-1500	550-1300	230	12	3,0
<b>SX_010_100</b>	1000	1000	1500-2000	550-1800	230	14	3,0
<b>SX_010_130</b>	1000	1300	2000-2500	800-2000	280	24	3,0
<b>SX_010_160</b>	1000	1600	2250-2750	800-2400	305	26	3,0
<b>SX_010_160</b>	1000	1600	2500-3000	800-2400	310	26	3,0
<b>SX_010_180</b>	1000	1800	2800-3500	800-2400	350	32	3,0
<b>SX_010_200</b>	1000	2000	3000-3500	800-2400	350	35	3,0
<b>SX_020_080</b>	2000	800	1250-1500	800-1300	230	15	3,0
<b>SX_020_100</b>	2000	1000	1500-2000	800-2000	230	17	3,0
<b>SX_020_130</b>	2000	1300	2000-2500	800-2500	280	25	3,0
<b>SX_020_160</b>	2000	1600	2250-2750	800-2800	348	24	4,0
<b>SX_020_160</b>	2000	1600	2500-3000	800-3200	350	24	4,0
<b>SX_020_180</b>	2000	1800	2800-3500	1000-2800	410	32	4,0
<b>SX_020_200</b>	2000	2000	3000-3500	1000-3200	410	35	4,0
<b>SX_030_100</b>	3000	1000	1750-2000	800-1000	280	16	4,0
<b>SX_030_130</b>	3000	1300	2000-2500	800-2500	310	22	4,0
<b>SX_030_160</b>	3000	1600	2250-2750	800-3200	348	25	4,0



TYP	NUTZLAST KG	NUTZHUB MM	LÄNGE MM	BREITE MM	BAUHÖHE MM	HUBZEIT SEK.	LEISTUNG KW
<b>SX_030_160</b>	3000	1600	2500-3000	800-3200	350	25	4,0
<b>SX_030_180</b>	3000	1800	3000-3500	1000-2800	410	32	4,0
<b>SX_030_200</b>	3000	2000	3000-3500	1000-3500	410	35	4,0
<b>SX_030_310</b>	3000	3100	5000-6000	1600-3600	750	40	7,5
<b>SX_040_100</b>	4000	1000	1750-2000	1000-2000	350	18	4,0
<b>SX_040_130</b>	4000	1300	2000-2500	1000-2000	410	29	4,0
<b>SX_040_160</b>	4000	1600	2500-3000	1000-3200	410	28	4,0
<b>SX_040_180</b>	4000	1800	3000-3500	1300-3000	450	34	4,0
<b>SX_040_200</b>	4000	2000	3000-3500	1300-3000	450	37	4,0
<b>SX_040_400</b>	4000	4000	6500-8000	1600-3600	850	70	7,5
<b>SX_050_130</b>	5000	1300	2000-2500	1000-2000	410	31	4,0
<b>SX_050_160</b>	5000	1600	2500-3000	1000-3200	410	37	4,0
<b>SX_050_180</b>	5000	1800	3000-3500	1300-3000	450	40	4,0
<b>SX_050_200</b>	5000	2000	3000-3500	1300-3000	450	44	4,0
<b>SX_060_130</b>	6000	1300	2100-2500	1000-2000	410	37	4,0
<b>SX_060_160</b>	6000	1600	2500-3000	1000-3000	450	40	4,0
<b>SX_060_180</b>	6000	1800	3000-3500	1300-3000	450	45	4,0
<b>SX_060_200</b>	6000	2000	3000-3500	1300-3000	450	40	5,5
<b>SX_080_130</b>	8000	1300	2300-2700	1300-1600	500	30	5,5
<b>SX_080_160</b>	8000	1600	2600-3500	1600-3200	500	36	5,5
<b>SX_080_180</b>	8000	1800	3000-4000	1600-3200	500	42	5,5
<b>SX_080_200</b>	8000	2000	3000-4000	1600-2800	500	48	5,5
<b>SX_100_130</b>	10000	1300	2300-2700	1300-2000	550	38	5,5
<b>SX_100_160</b>	10000	1600	2600-3500	1600-2800	600	46	5,5
<b>SX_100_180</b>	10000	1800	3200-3500	1600-2400	600	51	5,5
<b>SX_100_200</b>	10000	2000	3200-4000	1600-3200	600	58	5,5




*Tandemschere  
Atlas*

TYP	NUTZLAST KG	NUTZHUB MM	LÄNGE MM	BREITE MM	BAUHÖHE MM	HUBZEIT SEK.	LEISTUNG KW
<b>SXT_005_080</b>	500	800	2500-3500	800-2500	230	15	3,0
<b>SXT_005_100</b>	500	1000	3000-5000	550-1600	230	19	3,0
<b>SXT_005_130</b>	500	1300	4000-6000	800-2000	280	27	3,0
<b>SXT_005_160</b>	500	1600	5000-7000	800-2400	330	32	3,0
<b>SXT_010_080</b>	1000	800	3000-5000	800-2600	250	15	3,0
<b>SXT_010_100</b>	1000	1000	3000-5000	800-2400	250	19	3,0
<b>SXT_010_130</b>	1000	1300	4000-6000	800-2400	280	27	3,0
<b>SXT_010_160</b>	1000	1600	5000-7000	800-2400	330	32	3,0
<b>SXT_020_080</b>	2000	800	2500-3500	800-2000	230	15	3,0
<b>SXT_020_100</b>	2000	1000	3000-5000	800-2500	280	19	3,0
<b>SXT_020_130</b>	2000	1300	4000-6000	800-3000	280	27	3,0
<b>SXT_020_160</b>	2000	1600	5000-7000	800-2400	350	32	3,0
<b>SXT_030_100</b>	3000	1000	3000-5000	800-2500	310	24	3,0
<b>SXT_030_130</b>	3000	1300	4000-6000	800-3000	280	34	3,0
<b>SXT_030_160</b>	3000	1600	5000-7000	800-3000	390	35	4,0
<b>SXT_040_130</b>	4000	1300	4000-6000	800-3000	280	34	4,0
<b>SXT_040_160</b>	4000	1600	5000-7000	800-3000	410	32	5,5
<b>SXT_050_130</b>	5000	1300	4000-6000	800-3000	310	34	5,5
<b>SXT_050_160</b>	5000	1600	5000-7000	800-3000	410	32	5,5




TYP	NUTZLAST KG	NUTZHUB MM	LÄNGE MM	BREITE MM	BAUHÖHE MM	HUBZEIT SEK.	LEISTUNG KW
<b>SXT_060_130</b>	6000	1300	4000-6000	800-3000	310	34	5,5
<b>SXT_060_160</b>	6000	1600	5000-7000	800-3000	410	38	5,5
<b>SXT_080_130</b>	8000	1300	4000-6000	1000-3000	410	41	5,5
<b>SXT_080_160</b>	8000	1600	5000-7000	800-2400	450	45	5,5
<b>SXT_100_130</b>	10000	1300	4000-6000	1000-3000	410	41	5,5
<b>SXT_100_160</b>	10000	1600	5000-7000	1000-3000	450	50	5,5
<b>SXT_120_160</b>	12000	1600	5000-7000	1000-3000	470	55	5,5
<b>SXT_120_160</b>	12000	1600	5000-8500	800-1000	500	55	5,5



Doppelschere  
Herkules

TYP	NUTZLAST KG	NUTZHUB MM	LÄNGE MM	BREITE MM	BAUHÖHE MM	HUBZEIT SEK.	LEISTUNG KW
<b>SXX_005_200</b>	500	2000	1500-2000	800-1600	400	34	3,0
<b>SXX_005_200</b>	500	2000	1500-2000	800-1600	450	34	3,0
<b>SXX_005_250</b>	500	2500	2000-2500	800-1600	450	36	3,0
<b>SXX_010_165</b>	1000	1650	1300-1500	800-1300	290	34	3,0
<b>SXX_010_165</b>	1000	1650	1300-1750	800-1300	335	34	3,0
<b>SXX_010_200</b>	1000	2000	1500-2000	800-1600	400	34	3,0
<b>SXX_010_200</b>	1000	2000	1500-2000	800-1600	450	34	3,0
<b>SXX_010_250</b>	1000	2500	2000-2500	800-1600	450	36	3,0
<b>SXX_010_330</b>	1000	3300	2500-3000	1300-2900	600	51	4,0
<b>SXX_020_165</b>	2000	1650	1300-1500	800-1500	290	34	3,0
<b>SXX_020_165</b>	2000	1650	1300-1750	800-1500	335	34	3,0
<b>SXX_020_200</b>	2000	2000	1500-2000	800-2000	450	34	3,0
<b>SXX_020_250</b>	2000	2500	1500-2000	800-2000	450	45	3,0
<b>SXX_020_330</b>	2000	3300	2500-3000	1300-2900	600	51	4,0
<b>SXX_030_330</b>	3000	3300	2500-3400	1300-3300	600	60	5,5
<b>SXX_030_335</b>	3000	3350	2600-3200	2900-3300	600	60	5,5
<b>SXX_030_450</b>	3000	4500	3400-4000	1300-3300	1000	80	5,5



Dreifachscheren  
 Kodiak

TYP	NUTZLAST KG	NUTZHUB MM	LÄNGE MM	BREITE MM	BAUHÖHE MM	HUBZEIT SEK.	LEISTUNG KW
<b>SXXX_005_300</b>	500	3000	1500-2000	800-1500	600	50	1,5
<b>SXXX_005_375</b>	500	3750	2000-2500	1000-2000	650	65	3,0
<b>SXXX_010_300</b>	1000	3000	1500-2000	800-1900	600	50	1,5
<b>SXXX_010_375</b>	1000	3750	2000-2500	1000-2000	650	65	3,0
<b>SXXX_020_300</b>	2000	3000	1500-2000	800-1900	600	55	3,0
<b>SXXX_020_375</b>	2000	3750	2000-2500	1000-2000	650	65	4,0